

Cont
A2

ponciri, 5-10 weight parts of *Poria*, 1-10 weight parts of *Pinelliae Tuber*, 2-10 weight parts of *Aurantii nobilis Pericarpium*, and 1-5 weight parts of *Glycyrrhizae Radix* is extracted with ethanol.

REMARKS

Claims 3 and 4 are amended from product-by-process claims to composition claims. Claims 10 - 13 are new; they are variations of the product-by-process claims 3 and 4 as filed. Claim 10 and 12 recite extracting the herbs with water, and claims 11 and 13 recite extracting them with ethanol. This amendment also eliminates the language "by the conventional extraction," replacing it with language that describes extraction either by water or by ethanol.

Respectfully submitted,

FINNEGAN, HENDERSON, FARABOW,
GARRETT & DUNNER, L.L.P.

Dated: October 7, 2002

By: Stephen L. Peterson
Stephen L. Peterson
Reg. No. 26,325

FINNEGAN
HENDERSON
FARABOW
GARRETT &
DUNNER LLP

1300 I Street, NW
Washington, DC 20005
202.408.4000
Fax 202.408.4400
www.finnegan.com

APPENDIX

The amendments to the claims add and delete text as follows:

3. (Amended) The herbal composition according to claim 2, [wherein the herbal mixture of] comprising 10-50 weight parts of *Polygoni multiflori Radix*, 1-15 weight parts of *Gastrodiae Rhizoma*, 1-10 weight parts of *Acori Graminei Rhizoma*, 1-15 weight parts of *Ostericum Koreanum* or *Curcuma Longae Rhizoma*, 1-8 weight parts of *Caulis Phyllostachyos* or *Folium Phyllostachyos*, 1-8 weight parts of *Bombycis Batryticatus*, 1-8 weight parts of *Fructus immaturus ponciri*, 5-20 weight parts of *Poria*, 2-20 weight parts of *Aurantii nobilis Pericarpium*, 1-5 weight parts of *Glycyrrhizae Radix*, and 1-10 weight parts of *Zingibreis Rhizoma* [is extracted by the conventional extraction].
4. (Amended) The herbal composition according to claim 1, [wherein the herbal mixture of] comprising 10-50 weight parts of *Polygoni multiflori Radix*, 1-10 weight parts of *Polygalae Radix*, 1-10 weight parts of *Caryophylli Flos*, 1-10 weight parts of *Zingibreis Rhizoma*, 1-10 weight parts of *Arisaematis Rhizoma*, 1-10 weight parts of *Gastrodiae Rhizoma*, 1-8 weight parts of *Acori Graminei Rhizoma*, 1-10 weight parts of *Curcuma Longae Rhizoma*, 1-8 weight parts of *Folium Phyllostachyos*, 1-8 weight parts of *Bombycis Batryticatus*, 1-8 weight parts of *Fructus immaturus ponciri*, 5-10 weight parts of *Poria*, 1-10 weight parts of *Pinelliae Tuber*, 2-10 weight parts of *Aurantii nobilis Pericarpium*, and 1-5 weight parts of *Glycyrrhizae Radix* [is extracted by the conventional extraction].
10. (New) The herbal composition according to claim 2, wherein the herbal mixture of 10-50 weight parts of *Polygoni multiflori Radix*, 1-15 weight parts of *Gastrodiae*

Rhizoma, 1-10 weight parts of *Acori Graminei Rhizoma*, 1-15 weight parts of *Ostericum Koreanum* or *Curcuma Longae Rhizoma*, 1-8 weight parts of *Caulis Phyllostachyos* or *Folium Phyllostachyos*, 1-8 weight parts of *Bombycis Batryticatus*, 1-8 weight parts of *Fructus immaturus ponciri*, 5-20 weight parts of *Poria*, 2-20 weight parts of *Aurantii nobilis Pericarpium*, 1-5 weight parts of *Glycyrrhizae Radix*, 1-10 weight parts of *Zingibreis Rhizoma* is extracted [by the conventional extraction] with water.

11. (New) The herbal composition according to claim 2, wherein the herbal mixture of 10-50 weight parts of *Polygoni multiflori Radix*, 1-15 weight parts of *Gastrodiae Rhizoma*, 1-10 weight parts of *Acori Graminei Rhizoma*, 1-15 weight parts of *Ostericum Koreanum* or *Curcuma Longae Rhizoma*, 1-8 weight parts of *Caulis Phyllostachyos* or *Folium Phyllostachyos*, 1-8 weight parts of *Bombycis Batryticatus*, 1-8 weight parts of *Fructus immaturus ponciri*, 5-20 weight parts of *Poria*, 2-20 weight parts of *Aurantii nobilis Pericarpium*, 1-5 weight parts of *Glycyrrhizae Radix*, 1-10 weight parts of *Zingibreis Rhizoma* is extracted [by the conventional extraction] with ethanol.
12. (New) The herbal composition according to claim 4, wherein the herbal mixture of 10-50 weight parts of *Polygoni multiflori Radix*, 1-10 weight parts of *Polygalae Radix*, 1-10 weight parts of *Caryophylli Flos*, 1-10 weight parts of *Zingibreis Rhizoma*, 1-10 weight parts of *Arisaematis Rhizoma*, 1-10 weight parts of *Gastrodiae Rhizoma*, 1-8 weight parts of *Acori Graminei Rhizoma*, 1-10 weight parts of *Curcuma Longae Rhizoma*, 1-8 weight parts of *Folium Phyllostachyos*, 1-8 weight parts of *Bombycis Batryticatus*, 1-8 weight parts of *Fructus immaturus*

FINNEGAN
HENDERSON
FARABOW
GARRETT &
DUNNER LLP

1300 I Street, NW
Washington, DC 20005
202.408.4000
Fax 202.408.4400
www.finnegan.com

ponciri, 5-10 weight parts of *Poria*, 1-10 weight parts of *Pinelliae Tuber*, 2-10 weight parts of *Aurantii nobilis Pericarpium*, and 1-5 weight parts of *Glycyrrhizae Radix* is extracted with water.

13. (New) The herbal composition according to claim 4, wherein the herbal mixture of 10-50 weight parts of *Polygoni multiflori Radix*, 1-10 weight parts of *Polygalae Radix*, 1-10 weight parts of *Caryophylli Flos*, 1-10 weight parts of *Zingibreis Rhizoma*, 1-10 weight parts of *Arisaematis Rhizoma*, 1-10 weight parts of *Gastrodiae Rhizoma*, 1-8 weight parts of *Acori Graminei Rhizoma*, 1-10 weight parts of *Curcuma Longae Rhizoma*, 1-8 weight parts of *Folium Phyllostachyos*, 1-8 weight parts of *Bombycis Batryticatus*, 1-8 weight parts of *Fructus immaturus ponciri*, 5-10 weight parts of *Poria*, 1-10 weight parts of *Pinelliae Tuber*, 2-10 weight parts of *Aurantii nobilis Pericarpium*, and 1-5 weight parts of *Glycyrrhizae Radix* is extracted with ethanol.

FINNEGAN
ENDERSON
FARABOW
GARRETT &
DUNNER LLP

1300 I Street, NW
Washington, DC 20005
202.408.4000
Fax 202.408.4400
www.finnegan.com